

Material Safety Data Sheet

GAS STABILIZIER

Page 2 of 3

Revision Date: 01/01/09

Section 8: Exposure Controls / Personal Protection

Respiratory Protection (specify type): Organic vapor mask should be used if mechanical ventilation is insufficient.

Local Exhaust	Mechanical (general)	Special	Other
X	To meet TLV	NA	NA

Eye / Face Protection: Use splash goggles or face shield when eye contact may occur. Use chemical resistant apron to avoid contaminating regular clothing if needed.

Skin Protection: Workers should wash exposed skin several times with soap and water. Soiled work clothing should be laundered or dry-cleaned. Use oil resistant gloves to avoid prolonged or repeated skin contact.

Section 9: Physical / Chemical Characteristics

Boiling Point: 300°F	Specific Gravity (H ₂ O=1): 0.8
Vapor Pressure (mm Hg): 2.0	Melting Point: N/A
Vapor Density (air=1): 5	Evaporation Rate: 0.01 (Butyl Acetate=1)
Water Solubility: Very slight at room temperature	
Appearance & Odor: Light blue low viscosity	

Section 10: Stability and Reactivity

Stability: Material is stable

Incompatibility (materials to avoid): Avoid contact with strong oxidants such as chlorine gas.

Hazardous Decomposition Products: Fumes, smoke, CO_x, SO_x, NO_x, when combusted.

Hazardous Polymerization: Will not occur.

Section 11: Toxicology Information

None available

Section 12: Ecological Information

None available

Section 13: Disposal Considerations

None available

Section 14: Transportation Information

Not regulated.

Material Safety Data Sheet

GAS STABILIZER

Page 3 of 3

Revision Date: 01/01/09

Section 15: Regulatory Information

None Available

Section 16: Other Information

Disclaimer: The information contained herein is based on data available. However, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.